

EUROPEAN DOORS

Dear Customer

Our company constantly strives to find ways to match the product with your style and way of living.


We work hard to turn a house into your own home. Whether it is little details, or the big ones, you can be sure EDI Doors pays attention to it all.

Our company offers a large variety of modern interior and entry way doors for your home, apartment or office.

You can recognize us through our exclusive design, contemporary and stylish interior and exterior doors that suit every life style.



EUROPEAN DOORS



www.edidoors.com

INDEX

EXTERIOR DOORS

NINO	6	DIGNA	16
HARSA	7	CETUS	16
DRACO	7	RUST	17
MINOR	7	VITRUM	17
AGLE	7	NORE	17
PLATINO	8	DAGALA	17
SATINA	8	CRISPA	17
IGNES	8	PROMA	18
GEMINI	9	SATIN	18
VIRGO	9	HYDRA	18
SIRO	9	VORNA	18
SENJA	9	SEMPER	19
MARE	9	ACOS	19
NOMA	10	KOBUS	20
UNO	10	AVILA	20
DUO*	11	TEVA	20
HOFTA*	11	HARPO	20
TIARA*	11	LANTRA	21
CASUS	12	REGAL	21
ERGO	12	KARI	22
MONTANA	12	PALAU	22
NUMA	13	KONGO	22
CANTIO	13	IMPERA	22
MUZO	14	DESPA	23
BAZAN	14	LATINA	23
EJDO	14	SYLUR	24
AKTUS	15	LIMOS	24
IMPACT	15	SARPA	25
BATUMI	16		


INTERIOR DOORS

DAGLEZJA	30
FREZJA	32
MAGNOLIA	34
BERBERYS	36
FLOKS	38
KAMELIA	40
PETUNIA	42
MALWA1	44
HERSE LUX	46
JOKASTA	48
AGIS	50
KANAM	52
MUNNAR	54

WINDOW



EUROPEAN DOORS



EDI DOORS

EUROPEAN DOORS

EXTERIORS DOOR

Exterior doors are a showcase of every house. They serve the purpose of ensuring security and isolating intimacy of your home from weather conditions. Specially reinforced structure and high quality wood means reliability for years to come.

We offer STILE and TWIN exterior doors. STILE doors are constructed of stiles, rails and a panel. TWIN doors are made of two identical flat plates.

All doors can come as double, with one, two, three fixed sidelights, open sidelights, with antaba (long metal bar) or handle.



- slab
- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:

special palette of colors ral	100 9
two-color painting	1993
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 9




NINO OAK 2999\$













DRACO OAK 2999\$

AGLE OAK 2999\$









- slab
- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:

special palette of colors ral	100 \$
two-color painting	199 9
steel bar handle	300 8
handle prestige/royal	100 \$
custom color	200 9
single side light	800 8
open sidelight	1000 9
double door	1600 9



OAK 2999\$

PLATINO



















- sla
- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:

special palette of colors ral	100 \$
two-color painting	199\$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$









TIARA* OAK 2999 \$















- slab
- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:

special palette of colors ral	100 \$
two-color painting	199 \$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$














- slab
- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization

■ two gaskets

EXTRA CHARGE:

special palette of colors ral	100 \$
two-color painting	199 \$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$







IMPACT OAK 2999 \$

14


5

AKTUS












OAK 2999\$

BATUMI







VITRUM OAK 2999\$



DAGALA OAK 2999\$

BASE PRICE INCLUDES:

- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:

special palette of colors ral	100\$
two-color painting	199\$
steel bar handle	300 \$
handle prestige/royal	100\$
custom color	200 \$
single side light	800\$
open sidelight	1000 \$
double door	1600 \$

EDI DOORS


PROMA

fixed in the door

casing










clear opening 900 mm

INSIDE VIEW



SATIN




fixed in the door

casing






SEMPER



INSIDE VIEW

ACOS



dportasing INSIDE VIEW

two gaskets EXTRA CHARGE:

BASE PRICE INCLUDES:

frame with wooden threshold

two locks in master key system

mirror venetian / frosted / clear glass

■ slab

casingbrickmouldingcustomization

handle haga

safety triple glass

special palette of colors in a special palette of colors in	ral 100 \$
two-color painting	199 \$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$

Doors of non-standard dimensions are subject to individual valuation.











- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:


special palette of colors ral	100 \$
two-color painting	199 \$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$







HARPO OAK 2799 \$



















- frame with wooden threshold
- handle haga
- two locks in master key system
- safety triple glass
- mirror venetian / frosted / clear glass
- casing
- brickmoulding
- customization
- two gaskets

EXTRA CHARGE:


special palette of colors ral	100 \$
two-color painting	199 \$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$



KARI OAK 2799\$



KONGO OAK 2799\$





SYLUR







clear opening 900 mm extra opening

LIMOS







BASE PRICE INCLUDES:

	sla	ab)	
--	-----	----	---	--

frame with wooden threshold

handle haga

two locks in master key system

safety triple glass

mirror venetian / frosted / clear glass

casing

brickmoulding

customization

two gaskets

EXTRA CHARGE:

special palette of colors ral	100 \$
two-color painting	199 \$
steel bar handle	300 \$
handle prestige/royal	100 \$
custom color	200 \$
single side light	800 \$
open sidelight	1000 \$
double door	1600 \$

Doors of non-standard dimensions are subject to individual valuation.

leaf imitation

SARPA



clear opening 900 mm

INSIDE VIEW

leaf imitation



THE DESIGN OF EXTERIOR FRAME-AND-PANEL DOOR 68 MM:

Exterior frame-and-panel door with a thickness of 68 mm is made of pine wood and laminated in layers or alternately, veneered with waterproof pine or oak plywood. The frame is filled with heat-insulating panel having a thickness of 32 mm.

Finishing:

Lacquering Five-layer coating system using hydrodynamic method with transparent paints in 14 colors or RAL palette colors.

Glazing unit with reflex glass, mirror venetian or frosted glass with possible use (optional) of various windows, including ornaments and stained glass. In doors, it is possible to replace the wooden panels with the glazing unit and vice

Dimensions:

Exterior doors are available in custom sizes without additional charge for unusual dimension.

THE DESIGN OF EXTERIOR FRAME-AND-PANEL DOOR 78 MM:

Exterior frame-and-panel and plate door with a thickness of 78 mm is made of pine wood and laminated in layers and alternately, veneered with waterproof pine or oak plywood. The frame is filled with heat-insulating panel having a thickness of 42 mm (frame-and-panel) 60 mm (plate).

Lacquering Five-layer coating system using hydrodynamic method with transparent paints in 14 colors or RAL palette colors.

Glazing:


Glazing unit with reflex glass, mirror venetian or frosted glass with possible use (optional) of various windows, including ornaments and stained glass. In doors, it is possible to replace the wooden panels with the glazing unit and vice

Dimensions:

Exterior doors are available in custom sizes without additional charge for unusual dimension.










COLORS exterior doors





WINCHESTER





GOLDEN OAK



PALISANDER

MAHOGANY



RUSTIC OAK











DOOR ACCESSORIES - HANDLES



HAGA



PRESTIGE



RAL COLORS CHART







WHITE 9016





EUROPEAN DOORS

INTERIOR DOORS

Interior doors protect our privacy and also help to create intimate four walls for each member of the household.

Conjure up a completely new style for your home.

Our interior doors are a great way to perfectly complement any interior. We meet expectations of our Customers by offering products in a wide range of colors and designs. Thanks to this our doors will become an integral part of your house.





HIDDEN HINGES

GREKO 6'8" 416\$

DOOR SIZES





32"








30"



DAGLEZJA 1





DAGLEZJA 1



DAGLEZJA 4 DAGLEZJA 5



DAGLEZJA 7 **COLORS GREKO**





SANREMO GREKO





DAGLEZJA 2



DAGLEZJA 6







DAGLEZJA 8

WHITE PINE GREKO





CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key lock

GLAZING

hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- slab
- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ VSG glass 3 \$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

basic price + 75% double doors french doors basic price + 75%

■ sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 266\$





















FREZJA 5

HIDDEN HINGES GREKO 6'8" 416\$

DOOR SIZES

18"

24"

32"

26"

28" doors

30"

34"

40"



FREZJA 1 FREZJA 2




FREZJA 3

FREZJA 4 FREZJA 5



FREZJA 6

COLORS GREKO







CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key lock

GLAZING

hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- slab
- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ ■ VSG glass 10/20/30\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

double doors basic price + 75% french doors basic price + 75%

sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 266\$





















MAGNOLIA 7

GREKO 6'8" 416\$

CPL 6'8" 423\$

DOOR SIZES

18"

30"

24"

32"

26"

34"

28"

Solid doors







MAGNOLIA 1



MAGNOLIA 5 MAGNOLIA 4



MAGNOLIA 7



MAGNOLIA 8

COLORS GREKO



WALNUT GREKO VENGE GREKO



GRAY OAK GREKO



WHITE GREKO



MAGNOLIA 3



MAGNOLIA 6

CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO or CPL veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

frame with casing

handle

hinges

■ lock

Extra charge:

10\$ privacy lock ■ key lock 30 \$ VSG glass 6\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

double doors basic price + 75%

french doors basic price + 75%

sliding doors - barn doors / closet bypass doors / pocket doors


SLAB 253\$

HANDLES














white GREKO vertical rails, diagonal elements and nut GREKO boards

WHITE PINE GREKO







GREKO 6'8" 434\$ CPL 6'8" 454\$

DOOR SIZES



BERBERYS 1



BERBERYS 2





BERBERYS 3











BERBERYS 8

CONSTRUCTION ■ HIDDEN HINGES:

magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO or CPL veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key

GLAZING

hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ ■ VSG glass 6\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

double doors basic price + 75% french doors basic price + 75%

■ sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 284 \$

COLORS GREKO













HIDDEN HINGES

GREKO 6'8" 439\$ CPL 6'8" 459\$


DOOR SIZES

24"

26"

28" Solid doors

32"





FLOKS 1



FLOKS 4



FLOKS 6









FLOKS 2



FLOKS 3

FLOKS 8

CONSTRUCTION ■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO or CPL veneer HARDWARE

■ lock options: handle, handle + privacy lock, handle + key

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- slab
- frame with casing
- handle
- hinges
- lock

Extra charge:

10\$ privacy lock ■ key lock 30 \$ VSG glass 8\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS


single doors

double doors basic price + 75% french doors basic price + 75%


sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 289\$

COLORS GREKO











GREKO 6'8" 416\$ CPL 6'8" 436\$

DOOR SIZES

30"

24"

26"


28" Solid doors

32"



34"







KAMELIA 1



KAMELIA 4







KAMELIA 5

KAMELIA 7



KAMELIA 2





KAMELIA 3

■ lock options: handle, handle + privacy lock, handle + key lock

magnetic lock, two hidden 3d regulated hinges Door slab and frame made of MDF (Medium Density Fiberbo-

ard) covered by GREKO or CPL veneer

GLAZING

HARDWARE

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

CONSTRUCTION ■ HIDDEN HINGES:

Base price includes:

■ slab

frame with casing

handle

hinges

■ lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ VSG glass 3\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

double doors basic price + 75% french doors basic price + 75%

sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 266\$

COLORS GREKO



WALNUT GREKO VENGE GREKO



GRAY OAK GREKO



WHITE GREKO



WHITE PINE GREKO



KAMELIA 8

HANDLES























PETUNIA 3

GREKO 6'8" 416\$ CPL 6'8" 436\$

DOOR SIZES

18"

30"



32"

















PETUNIA 1







PETUNIA 4



PETUNIA 6



PETUNIA 7

PETUNIA 8

COLORS GREKO





SANREMO GREKO GRAY OAK GREKO



CONSTRUCTION

■ HIDDEN HINGES:

magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO or CPL veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- frame with casing
- handle
- hinges
- lock

Extra charge:

10\$ privacy lock ■ key lock 30 \$ VSG glass 4\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

- single doors

double doors basic price + 75%

french doors basic price + 75%

sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 266\$
























BRUSHED ALUMINUM INSETS

GREKO 6'8" 434\$ CPL 6'8" 454\$

DOOR SIZES



MALWA1

IN OUR PROPERTY



MALWA 1





MALWA 3





milk glass
brushed aluminum





MALWA 8

CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of MDF (Medium Density Fiberboard) covered by GREKO or CPL veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- slab
- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ VSG glass 3\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

- single doors

double doors basic price + 75%

french doors basic price + 75%

■ sliding doors - barn doors / closet bypass doors / pocket doors

SLAB 284 \$

COLORS GREKO





























HERSE LUX 4

GREKO 6'8" 550\$

DOOR SIZES

18" doors

30"

24"

26" 28"





40"



HERSE LUX 1

HERSE

LUX SET 10

brushed aluminum



HERSE LUX 3



HERSE LUX 4

ACCESSORIES Base price includes:

hinge side if wished

CONSTRUCTION

■ thickness 46 mm additional gasket **HARDWARE**

■ MDF rails covered with two HDF boards special HOMALIGHT board filling ■ 18 mm-plywood strengthening

■ three screw 3D regulated pintle hinges

■ two three-bolt anti-burglary locks in class RC2 for cylinder (price includes optional change of lower lock only)

possibility to select only lower latch lock (no change in price) or without three anti-burglary contact bolts on the



frame with casing

■ handle

hinges

■ lock

COLORS GREKO




HERSE

LUX SET 12





MEDIUM OAK GREKO SONOMA GREKO







JOKASTA

6'8" 799 \$ 7' 849 \$ 8' 1099 \$

DOOR SIZES

18"

24"

32"



34"

28" Solid doors











JOKASTA III



JOKASTA I

COLORS

ANTHRACITE 7016 WHITE 9016



CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of wood covered by oak veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key lock

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ 30 \$ ■ key lock VSG glass 4\$ price for one piece of glass


AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

double doors basic price + 75% ■ french doors basic price + 75%

sliding doors - barn doors / closet bypass doors / pocket doors









6'8" 799 \$ 7' 849 \$ 8' 1099 \$

DOOR SIZES




24"



Solid doors 28"









AGIS II








AGIS III

COLORS



ANTHRACITE 7016 WHITE 9016

CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of wood covered by oak veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key lock

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:

- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ VSG glass 4\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS

single doors

double doors basic price + 75% french doors basic price + 75%

sliding doors - barn doors / closet bypass doors / pocket doors





















6'8" 799\$ 7' 849 \$ 8' 1099 \$

DOOR SIZES











28"

40"

Solid doors

KANAM III



KANAM I



KANAM IV

KANAM

COLORS



ANTHRACITE 7016 WHITE 9016

CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of wood covered by oak veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key lock

ACCESSORIES

Base price includes:

- slab
- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$

■ key lock 30 \$

AVAILABLE TECHNOLOGICAL SOLUTIONS

- single doors
- double doors basic price + 75%
- french doors basic price + 75%
- sliding doors barn doors / closet bypass doors / pocket doors













6'8" 799\$ 7' 849 \$ 8' 1099 \$

DOOR SIZES















34" 40"

MUNNAR



MUNNAR I





MUNNAR III



COLORS



ANTHRACITE 7016 WHITE 9016

CONSTRUCTION

■ HIDDEN HINGES: magnetic lock, two hidden 3d regulated hinges

Door slab and frame made of wood covered by oak veneer

HARDWARE

■ lock options: handle, handle + privacy lock, handle + key lock

GLAZING

■ hardened milk glass or VSG 221 milk protective glass

ACCESSORIES

Base price includes:


- frame with casing
- handle
- hinges
- lock

Extra charge:

privacy lock 10\$ ■ key lock 30 \$ VSG glass 4\$ price for one piece of glass

AVAILABLE TECHNOLOGICAL SOLUTIONS


- single doors
- double doors basic price + 75%
- french doors basic price + 75%
- sliding doors barn doors / closet bypass doors / pocket doors








SINGLE DOOR




SLIDING DOORS - BARN DOORS








DOUBLE DOOR




SLIDING DOORS - CLOSED BYPASS SLABS









FRENCHDOOR



SLIDING DOORS - POCET DOOR









EUROPEAN DOORS

WINDOW












DECK MOUNTED ELECTRIC OR SOLAR VENTING SKYLIGHT


Electric and solar powered deck mounted skylights are ideal solutions for out of reach applications, where besides the natural light, you would like to enjoy fresh air as well. FVE and FVS skylights are equipped with a radio communication system, allowing for easy remote operation without the need of pointing the remote towards the skylights. FVS skylights are powered by the integrated solar panel, so connection to a power source is not required.

- suitable for roof pitches between 15-85 degrees
- low-emission and heat-reflecting double glazed glass
- perimeter gasket underneath the frame
- easy "bracket-free" installation
- $\hfill \blacksquare$ double seals between the frame and the sash
- internal gasket system to collect and drain any
- condensation water to the outside
- mosquito screen included
- integrated rain sensors
- remote control operated
- range of internal and external accessories
- integrated solar panel (FVS)











FVE, FVS SKYL	IGHT I	DIMENSION	IS								
Size		301 (24/27)	304 (24/38)	306 (24/46)	308 (24/55)	312 (24/70)	504 (32/38)	506 (32/46)	508 (32/55)	801 (48/27)	806 (48/46)
Rough opening (WxR)	in.	22 ¹ / ₂ x 26 ¹ / ₂	22 ¹ / ₂ x 37 ¹ / ₂	22 ¹ / ₂ x 45 ¹ / ₂	22 ¹ / ₂ x 54	22 ¹ / ₂ x 70	30 ¹ / ₂ x 37 ¹ / ₂	30 ¹ / ₂ x 45 ¹ / ₂	30 ¹ / ₂ x 54	46 ¹ / ₂ x 26 ¹ / ₂	46 ¹ / ₂ x 45 ¹ / ₂
	mm	568 x 678	568 x 957	568 x 1157	568 x 1376	568 x 1776	771 x 957	771 x 1157	771 x 1376	1177 x 678	1177 x 1157
Outside frame (BxL)	in.	24 ¹ / ₂ x 27 ¹ / ₂	24 ¹ / ₂ x 38 ¹ / ₂	24 ¹ / ₂ x 46 ³ / ₈	24 ¹ / ₂ x 55	24 ¹ / ₂ x 70 ³ / ₄	32 ¹ / ₂ x 38 ¹ / ₂	32 ¹ / ₂ x 46 ³ / ₈	32 ¹ / ₂ x 55	48 ¹ / ₂ x 27 ¹ / ₂	48 ¹ / ₂ x 46 ³ / ₈
	mm	623 x 699	623 x 978	623 x 1178	623 x 1397	623 x 1797	826 x 978	826 x 1178	826 x 1397	1232 x 699	1232 x 1178
Daylight area	sq. ft.	2.50	3.86	4.84	5.91	7.87	5.58	7.00	8.55	5.84	11.32
(glass)	m²	0.23	0.36	0.45	0.55	0.73	0.52	0.65	0.79	0.54	1.05





A breath of fresh air


DECK MOUNTED MANUAL VENTING SKYLIGHT

Manual venting skylights FV deliver light and fresh air and are recommended for installation where the skylights will be fairly easy to reach and operate with a control rod.

Features:









FV SKYLIGHT DIMENSIONS 806 301 304 306 308 312 504 801 $46^{1}/_{2} \times 45^{1}/_{2}$ 22¹/₂ x 26¹/₂ $22^{1}/2 \times 37^{1}/2$ 22¹/₂ x 45¹/₂ $22^{1}/2 \times 54$ $22^{1}/_{2} \times 70$ $30^{1}/2 \times 37^{1}/2$ $30^{1}/_{2} \times 45^{1}/_{2}$ $30^{1}/2 \times 54$ $46^{1}/_{2} \times 26^{1}/_{2}$ Rough opening (WxR) 1177 x 1157 568 x 678 568 x 957 568 x 1157 568 x 1376 568 x 1776 771 x 957 771 x 1157 771 x 1376 1177 x 678 48¹/₂ x 46³/₈ 24¹/₂ x 27¹/₂ 24¹/₂ x 38¹/₂ 24¹/₂ x 46³/₈ $24^{1}/_{2} \times 55$ 24¹/₂ x 70³/₄ $32^{1}/2 \times 38^{1}/2$ 32¹/₂ x 46³/₈ $32^{1}/2 \times 55$ 48¹/₂ x 27¹/₂ Outside frame (BxL) 1232 x 1178 623 x 699 623 x 978 623 x 1178 623 x 1397 623 x 1797 826 x 978 826 x 1178 826 x 1397 1232 x 699 Daylight area 2.50 4.84 5.91 5.58 7.00 5.84 11.32 0.23 0.36 0.45 0.55 0.73 0.52 0.54











DECK MOUNTED FIXED SKYLIGHT


The main purpose of the fixed skylight is to take advantage of natural light. Natural light in homes increases the comfort of living and positively influences health.

Features:

- suitable for roof pitches between 15-85 degrees
- low-emission and heat-reflecting double glazed glass
- perimeter gasket underneath the frame
- easy "bracket-free" installation
- range of internal and external accessories available
- internal gasket system to collect and drain any
- condensation water to the outside









FX SKYLIGHT DIMENSIONS													
Size		106 (16/46)	301 (24/27)	304 (24/38)	306 (24/46)	308 (24/55)	312 (24/70)	504 (32/38)	506 (32/46)	508 (32/55)	801 (48/27)	806 (48/46)	
Rough opening (WxR)	in. mm	14 ¹ / ₂ x 45 ¹ / ₂ 364 x 1157	22 ¹ / ₂ x 26 ¹ / ₂ 568 x 678	22 ¹ / ₂ x 37 ¹ / ₂ 568 x 957	22 ¹ / ₂ x 45 ¹ / ₂ 568 x 1157	22 ¹ / ₂ x 54 568 x 1376	22 ¹ / ₂ x 70 568 x 1776	30 ¹ / ₂ x 37 ¹ / ₂ 771 x 957	30 ¹ / ₂ x 45 ¹ / ₂ 771 x 1157	30 ¹ / ₂ x 54 771 x 1376	46 ¹ / ₂ x 26 ¹ / ₂ 1177 x 678	46 ¹ / ₂ x 45 ¹ / ₂ 1177 x 1157	
Outside frame (BxL)	in. mm	16 ¹ / ₂ x 46 ³ / ₈ 419 x 1178	24 ¹ / ₂ x 27 ¹ / ₂ 623 x 699	24 ¹ / ₂ x 38 ¹ / ₂ 623 x 978	24 ¹ / ₂ x 46 ³ / ₈ 623 x 1178	24 ¹ / ₂ x 55 623 x 1397	24 ¹ / ₂ x 70 ³ / ₄ 623 x 1797	32 ¹ / ₂ x 38 ¹ / ₂ 826 x 978	32 ¹ / ₂ x 46 ³ / ₈ 826 x 1178	32 ¹ / ₂ x 55 826 x 1397	48 ¹ / ₂ x 27 ¹ / ₂ 1232 x 699	48 ¹ / ₂ x 46 ³ / ₈ 1232 x 1178	
Daylight area (glass)	sq. ft. m²	3.24 0.30	3.04 0.28	4.51 0.42	5.56 0.52	6.72 0.62	8.82 0.82	6.38 0.59	7.87 0.73	9.50 0.88	6.82 0.63	12.48 1.16	



Light and simplicity


CURB MOUNTED FIXED SKYLIGHT


The newly developed curb mounted fixed skylight incorporates simple installation, long trouble-free use and the beauty of a modern design. Following world design trends of electronic devices, FAKRO has developed curb mounted skyligth with completely (smartphone like) flat surface, allowing installation on any type of roofs in any direction you wish.

Features:

- suitable for roof pitches between 0-60 degrees
- unique modern design
- $\hfill \blacksquare$ low-emission and heat-reflecting double glazed glass
- white PVC frame allows installation of internal blinds
- frame made from mutliple chamber PVC profile
- range of internal and external accessories
- 360° turn-around installation










The innovative curb mounted skylight FXC allows you to match the colour of the skylight finish with the existing roof design.

A wide range of colors in accordance with the RAL Classic Palette.



Flange-free glass installation to provide free water flow off the glass.



FXC SKYL	IGHT	DIMENSIO	ONS										
Size		14/30	14/46	22/22	22/30	22/34	22/46	22/70	30/30	30/46	34/34	34/46	46/46
Outside curb dimensions	in. mm	17 ¹ /2 x 33 ¹ /2 445x851	17 ¹ /2 x 49 ¹ /2 445x1257	25 ¹ /2 x 25 ¹ /2 648x648	25 ¹ /2 x 33 ¹ /2 648x851	25 ¹ /2 x 37 ¹ /2 648x952	25 ¹ /2 x 49 ¹ /2 648x1257	25 ¹ /2 x 73 ¹ /2 648x1867	33 ¹ /2 x 33 ¹ /2 851x851	33 ¹ /2 x 49 ¹ /2 851x1257	37 ¹ /2 x 37 1/2 952x952	37 ¹ /2x 49 ¹ /2 952x1257	49 ¹ /2 x 49 1257x12
Daylight area (glass)	sq. ft. m²	2.00 0.19	3.19 0.30	2.45 0.23	3.49 0.32	4.01 0.37	5.58 0.52	8.71 0.81	4.98 0.46	7.95 0.74	6.57 0.61	9.13 0.85	12.70 1.18

DRF DRL





DRF

Flat roof access skylight.

DRC

Flat roof access skylight with a dome.





- mounted on the roof surface
- the whole structure is insulated



LML

- can be installed in the opening under the DRL roof access door
- gas piston supports unfolding and folding the ladder
- additional upper tread for safe step-up
- wide 5" (13cm) anti-slip treads

FLAT ROOF ACCESS SKYLIGHT

DRF

The insulated roof access skylight DRF are new products, expanding the range of FAKRO solutions for flat roofs. In addition to serving as a skylight, they have an extra utility feature providing safe and convenient access to the flat roof. Special hinges and a functional opening system used in the access roof light ensure easy sash opening up to 80°. Gas springs the operation of the sash and keep it stable in the open position, thus protecting against accidental closing. What is more, roof access skylights feature increased safety of use thanks to the application of anti-slip covers on their profiles.





FLAT ROO	F ACC	JESS SKYLIGH	II DRF DIMENSI	UNS	
Size		35/35 90x90 _[cm]	35/47 90x120 [cm]	39/39 100x100 [cm]	47/47 120x120 [cm]
Rough opening	in.	35 ¹ /2" -37 ¹ /2" x 35"-37 ¹ /2"	35 ¹ /2" -37 ¹ /2" x 47 ¹ /4" - 59 ¹ /8"	39 ¹ /2" - 41" x 3 ⁹ /2" - 41"	47 ¹ / ₄ " - 59" - 47/ ₄ " - 59 ¹ / ₈ "
(WxR)	mm	900-950x900-950	900-950x1200-1250	1000-1050x1000-1050	1200-1250 x 1200-1250
Outside frame	in.	44/44	44/56	48/48	56/56
(BxL)	mm	1120x1120	1120x1420	1220x1220	1420x1420
Daylight area	sq. ft.	6.5	8.94	8.29	12.5
(glass)	m²		0.83	0.77	1.16

Features:

- the frame of the flat roof skylight is
- constructed of multi-chamber PVC
- profiles filled with insulation material.
- In the DRF roof access skylight, the
- upper part of the window comes with
- an innovative flat glazing unit the DRF roof access skylight is an
- energy-efficient, DU6 glazing unit with
- a Class P4A anti-burglary inner pane
- (EN 12567-2) and a whole window
- U-value of 0.74 W/m2K (EN 14351-
- 1:2006+A1:2010). R-value = 7.7
- windows can be also mounted on an
- additional XRD base with a height of
- \blacksquare 5 7/8" (15cm), for installation in green or
- living roofs
- DRF access roof skylight is designed for
- pitches between 2° and 15°
- the structure of the access roof skylight
- enables installation of internal as well
- as external accessories. Use of an
- external awning blind protects the
- room from overheating, while internal
- accessories provide protection from
- intense sunlight and enhance interior design

FLAT ROOF ACCESS DOOR

DRL

The DRL roof access door is an innovative product providing safe and comfortable access to the flat roof. Its structural durability and range of sizes provide the perfect combination with an attic ladder.


FLAT ROOF ACCESS DOOR DRL DIMENSIONS										
Size	24/47	28/47	28/51	28/55	34/51	36/51				
5120	60x120	70x120	70x130	70x140	86x130	92x130				
DRL	+	+	+	+	+	+				

Features:

- fully assembled product
- the frame is constructed of multi-chamber PVC
- profiles filled with insulation material
- insulated sash equipped with a rubber seal ensures
- perfect thermal insulation performance
- opens up to 60°. Gas springs facilitate opening and
- closing, and the sash can be left open
- anti-slip tape on the base ensures safe access to the
- flat roof
- sizes of the roof access door are adjusted
- according to the size of attic ladders (attic ladders
- sold separately). DRL access doors come only in
- European (metric) sizes, and can be installed only
- with LML ladders, also in metric sizes
- can be mounted on an additional XRD base with
- a height of 6" (15 cm) for installation in green and
- living roofs
- option to install an additional ZBR lock which
- protects against accidental closure of the sash
- suitable for roof pitches between 0° and 5°

_ML	+	+	+	+	+	+	+	+	+	+	+
ttic ladder size in inches (cm)	60x120	70x120	70x130	70x140	86x130	92x130	60x130	70x130	70x140	86x130	92x130
oom height in inches (cm)	24/47	28/47	9′ 2 ³ / 28/51	4" 280 28/55	34/51	36/51	24/51	28/51	10′ 305 28/55	34/51	36/51
			9′ 2 3/	'a" 280					10′ 305		





Perfection in every detail

Perfectherm stands for modern windows made to the highest standards.

Perfectherm windows will provide your interior with a unique character because we have taken care of every detail in creating them. The cores of the window profiles, available in four different colours (white, brown, dark grey and caramel), when open, they perfectly match the applied veneer and suit modern interiors. Thanks to the low rabbet, the window gains a larger area of the glass, and the room gets more light. The optimally selected number of chambers, the use of an additional middle gasket in the frame and sash, as well as a triple glazing system make Perfectherm windows meet the requirements of passivejoinery.

■ STYLISH

Two shapes of sash- design and classic, perfectly fit into modern constructions.

Perfectherm windows give the buildings light and an unusual style.

■ HARMONIOUS

The four colours of the profiles' core form a harmonious connection with a wide range of veneers. Perfectherm windows look great in both classic white and wood-like decorative films and modernist colours from the RAL palette.

■ WARM

Six-chamber sash profiles with a depth of 80 mm and 48 mm threepane glazing with a warm frame provide excellent thermal insulation of the window at the level of 0.18 W/m²K.

THERMALL Uw 0,78 W/m²K* insulation

■ RELIABLE

against burglary.

■ TIGHT

parameters.

■ SAFE

Window profiles in the A class thickness, locking fittings in the 5th highest class of corrosion resistance and large, specially profiled reinforcements guarantee reliability for many years.

The use of three gaskets in the sash

and in the frame makes it possible to obtain very good insulation

Carefully designed, durable

construction, the use of antitheft

catches and systems with safety

glass, effectively protect the building





*Uw coefficient for the reference window, confirmed by a test certificate.

factors and ease of conservation.



Optitherm windows are more like standard. It is an offer for people looking for woodwork with higher parameters of thermal insulation and optimal price.

80 mm 6-chamber profiles with wide external deaeration chamber is a guarantee of durability and resistance to unfavourable atmospheric conditions, especially to hight temperatures causing stresses.

■ OPTITHERM

Provides ecological profiles, where the leaden regulators were replaced with the calcium-zinc stabilizer, that are human and environmental friendly.

■ OPTITHERM

is a guarantee of durability and long term faultless exploitation, thanks to the reinforcement closed inside the frame and high quality multi point locking fittings with EPDM.

■ OPTITHERM

Provides balanced harmony of rounding casement and frames, stylish glazing bead, black or gray seals, wide variety of windows panels as well as warm edges.





■ OPTITHERM

means higher energy saving.
6-chamber profiles as well as 80 mm frames and application of triple glazing packets ensure excellent thermal insulation.

■ OPTITHERM

means calmness and safety. Wide choice of glazing units with higher acoustic insulation and burglary resistance parameters, possibility of mushroom striker, plate installation as well as handle with metal insert, that increases users comfort and safety.

■ LEAD-FREE

Ecological CLASICTHERM profiles produced on calcium-zinc stabilizers are lead-free.

■ ELEGANT

Symmetrical and mildly rounded profiles, stylish glazing bead with a black or gray gasket packet with a warm frame in various colours cause the windows gain inimitable appearance.

■ PERMANENT AND SAFE

Closed reinforcement in the frame, possibility of applying the handle Secustik and anti-burglary ferrules guarantee a long-term non-failure usage and protect from the house-breaking.



The CLASICTHERM windows are a guarantee of a standard on the highest level. The 6-chamber system of 70 mm is offered

with a classic, straight un-faced wing and a mildly rounded half-faced wing. The hight quality of PCV mixture used in produc-

tion of compressed profiles in SONAROL company guarantees a long-term persistence of colour, resistance to atmospheric

■ WARM

6-chamber 70 mm frame and wind profiles and a possibility of triple glaze packet application (each 40 mm wide) with a warm edge ensure a perfect thermal insulation.

■ DREAMED-OF

A wide choice of veneer colours, a possibility of varnishing in any colour from the RAL palette and an arbitrary shape cause the CLASICTHERM windows to be adjusted to even the most sophisticated project.

QUIET

6-chamber profile system and application of triple glazing or sound-absorbing packets guarantees tranquillity in privacy.



72



FOR MORE CHECK www.edidoors.com

1128 S Roselle Road Schaumburg, IL 60193

> phone: 872 222 1762 708 334 6227 224 353 6828

e-mail: sales@edidoors.com

